

Appl. No. 10/784,041  
Resp Dated 11/17/2006  
Reply to Action of October 20, 2006

RECEIVED  
CENTRAL FAX CENTER  
NOV 17 2006

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A cleaner comprising:

first and second body members, each having first and second ends, the first and second body members being hinged together at their first ends to fold together about the hinge to abut along first and second sides of the body members to define an enclosure having an outer surface defined by the outer surfaces of the first and second body members, and to open about the hinge so that the outer surfaces of the first and second body members define a substantially continuous surface, the first and second body members having complementary snap members on their second ends to snap together when folded together to form the enclosure;

a roll of adhesive coated sheet material, rolled adhesive coated side out, partially within the first body member and supported from the first and second ends of the first body member for rotation about its axis;

the roll of adhesive coated sheet material being slit adjacent one end thereof;

at least one side of one of the body members defining a sharp edge for pinching the roll of adhesive coated sheet material between the sharp edge and an adjacent side of the other body member to encourage and encouraging-tearing of the adhesive coated sheet material along the sharp edge when the adhesive coated sheet material is unrolled to place one of the slits in the roll adjacent the sharp edge.

2. (Currently Amended) The cleaner of claim 1 wherein the first and second body members are injection molded members and the sharp edge is a an-as molded sharp edge.

3. (Original) The cleaner of claim 1 wherein the first ends of the first and second body members are configured to snap together to hold the body members in the open position.

Appl. No. 10/784,041  
Resp Dated 11/17/2006  
Reply to Action of October 20, 2006

4. (Original) The cleaner of claim 1 wherein both sides of one of the body members defines a sharp edge.

5. (Original) The cleaner of claim 4 wherein both sides of the second body member are flat, whereby adhesive coated sheet material may be pinched between one of the sharp edges and an adjacent flat surface.

6. (Currently Amended) A cleaner comprising:  
first and second body members, each having first and second ends, the first and second body members being hinged together at their first ends to fold together about the hinge to abut along first and second sides of the body members to define an enclosure having an outer surface defined by the outer surfaces of the first and second body members, and to open about the hinge so that the outer surfaces of the first and second body members define a substantially continuous surface, the first and second body members having complementary snap members to snap together when folded together to form the enclosure;

a roll of adhesive coated sheet material, rolled adhesive coated side out, partially within the first body member and supported from the first and second ends of the first body member for rotation about its axis;

the roll of adhesive coated sheet material being slit adjacent one end thereof, the slit running only part way along its axis;

at least one side of one of the body members defining a sharp edge for pinching adhesive coated sheet material between the sharp edge and an adjacent side of the other body member to encourage and encouraging-tearing of the adhesive coated sheet material along the sharp edge when the adhesive coated sheet material is unrolled to place one of the slits in the roll adjacent the sharp edge.

7. (Original) The cleaner of claim 6 wherein the complementary snap members on the first and second body members to snap together when folded together to form the enclosure are complementary snap members at the first ends of the first and second body members.

Appl. No. 10/784,041  
Resp Dated 11/17/2006  
Reply to Action of October 20, 2006

8. (Currently Amended) The cleaner of claim 6 wherein the first and second body members are injection molded members and the sharp edge is a ~~an~~ ~~as~~ molded sharp edge.

9. (Original) The cleaner of claim 6 wherein the first ends of the first and second body members are configured to snap together to hold the body members in the open position.

10. (Original) The cleaner of claim 6 wherein both sides of one of the body members defines a sharp edge.

11. (Original) The cleaner of claim 10 wherein both sides of the second body member are flat, whereby adhesive coated sheet material may be pinched between one of the sharp edges and an adjacent flat surface.

12. (Currently Amended) A cleaner comprising:

first and second body members, each having first and second ends, the first and second body members being hinged together at their first ends to fold together about the hinge to abut along first and second sides of the body members to define an enclosure having an outer surface defined by the outer surfaces of the first and second body members, and to open about the hinge;

a roll of adhesive coated sheet material, rolled adhesive coated side out, partially within the first body member and supported from the first and second ends of the first body member for rotation about its axis;

the roll of adhesive coated sheet material being slit adjacent one end thereof;

at least one side of one of the body members defining a sharp edge for pinching adhesive coated sheet material between the sharp edge and an adjacent side of the other body member to encourage and encouraging tearing of the adhesive coated sheet material along the sharp edge when the adhesive coated sheet material is unrolled to place one of the slits in the roll adjacent the sharp edge.

13. (Currently Amended) The cleaner of claim 12 wherein the first and second body members are injection molded members and the sharp edge is a ~~an~~ ~~as~~ molded sharp edge.

Appl. No. 10/784,041  
Resp Dated 11/17/2006  
Reply to Action of October 20, 2006

14. (Original) The cleaner of claim 12 wherein the first ends of the first and second body members are configured to snap together to hold the body members in the open position.

15. (Original) The cleaner of claim 12 wherein the first and second body members have complementary snap members adjacent their second ends to snap together when folded together to form the enclosure.

16. (Original) The cleaner of claim 12 wherein both sides of one of the body members defines a sharp edge.

17. (Original) The cleaner of claim 16 wherein both sides of the second body member are flat, whereby adhesive coated sheet material may be pinched between one of the sharp edges and an adjacent flat surface.

18. (Withdrawn) A method of tearing off a turn of adhesive coated sheet material from a roll of adhesive coated sheet material, rolled into a multiple layer roll adhesive coated side out, in a cleaning device having a housing with first and second body members comprising:

- providing a sharp edge on one of the body members;
- providing a slit through the multiple layers of the roll of adhesive coated sheet material adjacent an end thereof;
- opening the body members to expose the roll of adhesive coated sheet material;
- lifting a double thickness edge of the roll and unrolling the adhesive coated sheet material until a slit in the sheet material aligns with the sharp edge;
- closing the body members to pinch the adhesive coated sheet material between the sharp edge of one body member and the other body member; and
- tearing the sheet material along the sharp edge by initiating tearing at the bottom of the slit.

19. (Withdrawn) The method of claim 18 further comprised of:

- opening the body members; and

Appl. No. 10/784,041  
Resp Dated 11/17/2006  
Reply to Action of October 20, 2006

folding the sheet material between the roll and the tear line 180 degrees against the roll so that the adhesive coated side of the folded sheet material abuts the roll, thereby forming a double thickness edge of the roll.

20. (Withdrawn) The method of claim 18 wherein the body members are injection molded and the sharp edge is formed by injection molding.